

QUESTION: 1

What are two operational parameters that are configurable by merchants in the Commerce Cloud Administration UI? (Choose two.)

- Option A : SSO configuration
- Option B : URL patterns for products and collections
- Option C : Tax processor
- Option D : Site enablement

Correct Answer: A,C

QUESTION: 2

What are two use cases for fragmenting widgets into elements? (Choose two.)

- Option A : Reduce the page load times and improve performance
- Option B : Allow greater control over the position of widget functionally on the storefront
- Option C : Improve reusability and extensibility of widget code
- Option D : Separate the HTML display template and JavaScript files

Correct Answer: A,B

QUESTION: 3

In the Commerce Cloud implementation of the Model-View-ViewModel architecture pattern, what does the View represent?

- Option A : Widget localization string resources
- Option B : Widget HTML template
- Option C : Widget JavaScript
- Option D : Store data, encapsulated in JSON

Correct Answer: B

QUESTION: 4

A company has created and configured a new site with the ID 10012 and is ready to enable it. What step do they need to do to enable the site?

Send the following JSON to the /ccadmin/v1/sites/10012 URI using PUT:

```
{
  "properties": {
    "enabled": "true"
  }
}
```

Option A :

Send the following JSON to the /ccadmin/v1/sites URI using PUT:

```
{
  "items": [
    {
      "siteId": "10012",
      "enabled": "true"
    }
  ]
}
```

Option B :

Option C :

Option D :

No action is needed. A new site is enabled by default after creation and just needs to be published

Option D : Go to the Settings page in the Administration UI, select the site from the drop-down list, select the Enabled checkbox on the General tab, and save the change

Correct Answer: B

QUESTION: 5

The following code snippet shows the customProperties subobject included in the payments object in the payments object in a sample JSON request payload:

```
"payments": [
  {
    ...
    "customProperties" : {
      "MonthlyCharge" : "$25",
      "NumberOfPayments" : "12"
    }
    ...
  }
]
```

Which two statements describe how the custom properties were included in the request? (Choose two.)

Option A : Custom properties can be added via a custom widget

Option B : Custom properties are included in the gateway extension's JavaScript

Option C : Custom properties are specified in the config.json file for the gateway extension

Option D : Custom properties are specified in the createOrder REST request

Correct Answer: C,D

QUESTION: 6

Given this widget JavaScript snippet using the CCRestClient library:

```
ccRestClient.request("getProduct",  
    null,  
    successFunction(widget),  
    errorFunction(widget),  
    "xprod2119"  
);
```

Commerce Cloud?

What is the URL of the created request to

- Option A : GET /ccstore/v1/products
- Option B : GET /ccstore/v1/products/xprod2119
- Option C : POST /ccstore/v1/products
- Option D : PUT /ccstore/v1/products/xprod2119
- Option E : GET/ccstore/v1/products?getProduct=xprod2119

Correct Answer: A

QUESTION: 7

Which three statements describe webhooks in Commerce Cloud? (Choose three.)

- Option A : Function webhooks support synchronous calls to external applications
- Option B : Webhooks are only configured using the Server Extensions REST API
- Option C : Event webhooks support asynchronous, event-triggered outbound calls to custom integration endpoints
- Option D : Webhooks can be defined separately for Storefront, Preview, and Agent instances
- Option E : Webhooks use the POST HTTP method for the outgoing call

Correct Answer: A,C